Amendments to the Claims:

This listing of the claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-57. **(Cancelled)**

58. (Currently Amended) A communication terminal configured to communicate with a plurality of service terminals, said communication terminal comprising:

a first wireless communication section that receives[[,]] an initiation message from other terminal within one of the plurality of service terminals at a distance for communicating with said communication terminal, information including a communication method for a second wireless communication section having a communication distance which is longer than that of the first wireless communication section; and

said a second wireless communication section that performs an authentication processing with said other terminal one of the plurality of service terminals, and establishes a communication session with said one of the plurality of service terminals using said information received via said first wireless communication section when the authentication processing with said other terminal succeeds, said second wireless communication section that communicates at a communication distance which is longer than that of the first wireless communication section; and

a memory configured to hold a device list, said device list including a plurality of identification information of the plurality of service terminals;

<u>wherein</u>

said initiation message includes a device address of the service terminal for communicating with the communication terminal,

said second wireless communication section identifies one of plurality of service terminals based on the device list and the device address of the initiation message, said second wireless communication section performs authentication processing with the identified service terminal and establishes a communication session with the identified service terminal.

- 59. **(Currently Amended)** The communication terminal according to claim 58, wherein said information initiation message further includes identification information a session number specified by said one of the plurality of service terminals.
- 60. (Currently Amended) The communication terminal according to claim 59, further comprising:

an authentication section operable-that authenticates with said identified service other terminal using based on said identification information session number;

wherein said second wireless communication section establishes a communication session using said identification informationsession number when said authentication section authenticates with said other identified service terminal successfully.

61. (**Previously presented**) The communication terminal according to claim 58, wherein said first wireless communication section has directivity.

62. (Cancelled)

63. (Currently Amended) A communication terminal comprising:

a first wireless communication section that transmits[[,]] an initiation message to other a selected service terminal from a plurality of service terminals at within a distance for communicating with said communication terminal, information—said initiation message including a communication method for a second wireless communication section having a communication distance which is longer than that of the first wireless communication sectiondevice address of the communication terminal; and

said a second wireless communication section, in response to a communication session establishment request from said other terminal, that performs an authentication processing with a selected service said other terminal in response to a communication session establishment request, and establishes a communication session using said information when the authentication processing with said selected service other terminal—when the authentication processing succeeds, said second wireless communication section hathat communicates at a communication distance which is longer than that of the first wireless communication section;

<u>wherein</u>

said selected service terminal comprising a device list which includes an identification information of the communication terminal, and

said selected service terminal identifies the communication terminal based on the device list and the device address of the initiation message and sends the communication session establishment request to the identified communication terminal.

- 64. **(Currently Amended)** The communication terminal according to claim 63, wherein said information initiation message further includes identification information a session number.
- 65. (Currently Amended) The communication terminal according to claim 64, further comprising:

an authentication section that authenticates <u>authenticate</u> with said other <u>the selected service</u> terminal using identification information said session number in response to a communication establishment request from said other <u>selected service</u> terminal;

wherein said second wireless communication section establishes a communication session using said identification information session number when said authentication section authenticates with said other selected service terminal successfully.

66. **(Previously presented)** The communication terminal according to claim 63, wherein said first wireless communication section has directivity.

67-82. (Cancelled)